

CALUX TEQ for the 16 women completed thus far averaged 11.0 ppt, lipid-adjusted (range: 0 - 61.8). We will present the results of correlation analysis between CALUX-TEQ and measures of TEQ, derived from HRGC/HRMS data in this sample of Italian women with background exposure to dioxin and dioxin-like compounds.

Acknowledgements

We gratefully acknowledge Stefania Casalini, Ph.D. for coordinating data collection at Hospital of Desio. We would especially like to thank the women who participated in this study. This study was supported by Grant Numbers R01 ES07171 and F06 TW02075-01 from the National Institutes of Health, R82471 from the U.S. Environmental Protection Agency, EA-M1977 from the Endometriosis Association, P30 ES01896 from the National Institute of Environmental Health Sciences, and #2896 from Regione Lombardia and Fondazione Lombardia Ambiente, Milan, Italy.

References

1. Zook, D. and Rappe, C.; (1994) in *Dioxins and Health*, (Schechter, A., ed.), Plenum Press.
2. Van den Berg, M., Birnbaum, L., Bosveld, A.T.C., Brunstrom, B., Cook, P., Feeley, M., Giesy, J.P., Hanberg, A., Hasegawa, R., Kennedy, S.W., Kubiak, T., Larsen, J.C., van Leeuwen, F.X., Liem, A.K., Nolt, C., Peterson, R.E., Poellinger, L., Safe, S., Schrenk, D., Tillitt, D., Tysklind, M., Younes, M., Waern, F. and Zacharewski, T.; (1998) *Environ Health Perspect.* 106, 775-92.
3. Farland, W.H., Schaum, J., Winters, D., Lorber, M., Cleverly, D., Rodan, B., Tuxen, L., DeVito, M.J. and Birnbaum, L.S.; (2000) *Organohalogen Compounds.* 48, 248-51.
4. Garrison, P.M., Tullis, K., Aarts, J., Brouwer, A., Giesy, J.P. and Denison, M.S.; (1996) *Fundam Appl Toxicol.* 30, 194-203.
5. Aarts, J., Cenjin, P., Blankvoort, B., Murk, A., Bovee, T., Traag, W., Hoogenboom, L., Patandin, S., Weisglas-Kuperus, N., Sauer, P. and Desnison, M.; (1996) *Organohalogen Compounds.* 27, 285-90.
6. Denison, M.S., Rogers, W., Fair, M., Ziccardi, M., Clark, G., Murk, A. and Brouwer, A.; (1996) *Organohalogen Compounds.* 27, 280-4.
7. Pauwels, A., Cenijn, P., Schepens, P. and Brouwer, A.; (2000) *Environ Health Perspect.* 108, 553-7.
8. Koppen, G., Covaci, A., Van Cleuvenbergen, R., Schepens, P., Winneke, G., Nelen, V. and Schoeters, G.; (2001) *Toxicol Lett.* 123, 59-67.
9. Kuyama, F., Hamamatsu, A., Sagisaka, K., Brown, D., Clark, G. and Suzuki, T.; (2001) CALUX assay is applicable to human epidemiological studies. in: *Dioxin 2001 (Conference Proceedings)*.
10. Den Hond, E., Roels, H.A., Hoppenbrouwers, K., Nawrot, T., Thijs, L., Vandermeulen, C., Winneke, G., Vanderschueren, D. and Staessen, J.A.; (2002) *Environ Health Perspect.* 110, 771-6.
11. Van Den Heuvel, R.L., Koppen, G., Staessen, J.A., Hond, E.D., Verheyen, G., Nawrot, T.S., Roels, H.A., Vlietinck, R. and Schoeters, G.E.; (2002) *Environ Health Perspect.* 110, 595-600.
12. Nawrot, T.S., Staessen, J.A., Den Hond, E.M., Koppen, G., Schoeters, G., Fagard, R., Thijs, L., Winneke, G. and Roels, H.A.; (2002) *Environ Health Perspect.* 110, 583-9.

13. Pauwels, A., Schepens, P.J.C., Hooghe, T.D., Delbeke, L., Dhont, M., Brouwer, A. and Weyler, J.; (2001) *Hum Reprod.* 16, 2050-2055.
14. Eskenazi, B., Warner, M., Bonsignore, L., Olive, D., Samuels, S. and Vercellini, P.; (2001) *Fertil Steril.* 76, 929-35.
15. Patterson, D., Hampton, L., Lapeza, C., Belser, W., Green, V., Alexander, L. and Needham, L.; (1987) *Anal Chem.* 59, 2000-2005.
16. Akins, J., Waldrep, K. and Bernett, J.; (1989) *Clinica Chimica Acta.* 184, 219-226.
17. Hornung, R. and Reed, L.; (1990) *Appl Occup Environ Hyg.* 5, 48-51.
18. Stata, C.; (2001) Stata Press.